

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (currently amended) A reusable envelope comprising:
 - an enclosure having an interior with an access, the enclosure at least partially defined by first and second distinct panels and comprising:
 - a removable panel adjacent to an edge of the enclosure and extending across a length of the enclosure, the removable panel comprising an address region comprising a first panel overlying a second panel, wherein the first panel of the address region includes a removable region and at least a portion of the second panel of the address region is exposed when the first panel of the address region is removed; removed and a postage region comprising a first panel overlying a second panel, wherein the first panel of the postage region includes a removable region and at least a portion of the second panel of the postage region is exposed when the first panel of the postage region is removed; and
 - a closure for at least partially sealing the access to the interior, the closure comprising a first portion for securing the closure a first time and one or more additional portions for securing the closure one or more additional times wherein the first portion of the closure is separable from the second portion of the closure by a line of weakness.
2. (previously presented) The envelope of claim 1, further comprising a second address region distinct from the first address region and comprising a first panel overlying a second panel, wherein the first panel of the second address region includes a removable region and at least a portion of the second panel of the

second address region is exposed when the first panel of the second address region is removed.

3-9. (cancelled)

10. (previously presented) The envelope of claim 1, wherein the second portion of the closure includes one or more access regions for separating the first portion from the second portion along the line of weakness.

11-21. (cancelled)

22. (currently amended) A reusable envelope having an accessible interior, the reusable envelope comprising:

- a first panel for forming a front face of an envelope, the first panel having a first portion thereof for displaying a first address and a postage mark, ~~address~~, the first portion being at least partially removable from the first panel to remove at least one of the first address and postage mark thereby defining a first open region in the first panel and a second portion for displaying a second address, the second portion being at least partially removable from the first panel thereby defining a second open region in the first panel;
- a second panel positioned with respect to the first panel such that at least a portion of the second panel at least partially covers the first open region in the first panel when the first portion is at least partially removed; and
- a closure for at least partially sealing the access to the interior comprising a first portion for securing the closure a first time and one or more additional portions for securing the closure one or more additional times separable from each other by a line of weakness.

23. (cancelled)

24. (cancelled)
25. (original) The envelope of claim 22, wherein the closure is reusable.
26. (original) The envelope of claim 22, wherein the closure comprises a first portion for securing the closure a first time and one or more additional portions for securing the closure one or more additional times.
27. (original) The envelope of claim 26, wherein the first portion of the closure is separable from the second portion of the closure by a line of weakness.
28. (original) The envelope of claim 27, wherein the second portion of the closure includes one or more access regions for separating the first portion from the second portion along the line of weakness.
- 29-31. (cancelled)
32. (currently amended) A reusable envelope, the envelope comprising:
an envelope body comprising a panel having a ~~plurality of tear-away portions;~~ tear-away portion for displaying a first address and a postage mark, the tear-away portion being partially removable from the first panel to remove one of the first address and postage mark separately from the other; and
a reusable sealing flap, the sealing flap comprising at least:
a first portion proximal to the envelope body and extending along the envelope body for a length;
a first adhesive region formed on the first portion of the sealing flap;
a second portion extending from the first portion and distal from the envelope body and extending along a length of the first

portion that is less than the length of the first portion and
that is separable from the first portion; and
a second adhesive region formed on the second portion of the
sealing flap;

wherein the adhesive region of the second portion of the sealing flap can
be used to seal the envelope a first time such that the second
portion of the sealing flap can be separated from the first portion of
the sealing flap to open the envelope and the adhesive region on
the first portion of the envelope can be used to seal the envelope a
second time.

33. (original) The envelope of claim 32, wherein the first adhesive region is spaced apart from the envelope body.
34. (original) The envelope of claim 32, wherein the second adhesive region is spaced apart from the first adhesive region.
35. (original) The envelope of claim 32, wherein the first portion of the sealing flap is separable from the second portion of the sealing flap by a perforation.
36. (original) The envelope of claim 35, wherein the at least one of the first and second adhesive regions is spaced apart from the perforation.
37. (original) The envelope of claim 32, wherein the first portion of the sealing flap comprises a liftable portion that can be used to facilitate the separation of the first portion of the sealing flap from the second portion of the sealing flap to open the envelope when the second portion of the sealing flap is sealed to the body of the envelope.
38. (cancelled)

39. (currently amended) A reusable envelope, the envelope comprising:
- an envelope body comprising a panel having a ~~plurality of tear-away portions~~; tear-away portion for displaying a first address and a postage mark, the tear-away portion being partially removable from the first panel to remove one of the first address and postage mark separately from the other; and
 - a reusable sealing flap, the sealing flap comprising at least:
 - a first portion proximal to the envelope body and extending along the envelope body for a length;
 - a second portion extending from the first portion and distal from the envelope body and extending along a length of the first portion that is less than the length of the first portion; and
 - at least one adhesive region formed on the sealing flap and spaced apart from a boundary along which the first portion can be separated from the second portion of the sealing flap;
- wherein the at least one adhesive region of the sealing flap can be used to seal the envelope a first time such that the second portion of the sealing flap can be separated from the first portion of the sealing flap to open the envelope and the first portion of the envelope can be used to close the envelope a second time.
- 40-42. (cancelled)
43. (previously presented) The envelope of claim 1, wherein the first panel of the address region is at least partially defined by the first panel of the enclosure.
44. (previously presented) The envelope of claim 43, wherein the second panel of the address region is at least partially defined by a panel attached to the first panel of the enclosure and distinct from the first and second panels of the enclosure.

Response

Serial No.: 10/632,489

Page 7

45. (previously presented)The envelope of claim 1, wherein the first panel of the postage region is at least partially defined by the first panel of the enclosure.
46. (previously presented)The envelope of claim 43, wherein the second panel of the postage region is at least partially defined by a panel attached to the first panel of the enclosure and distinct from the first and second panels of the enclosure.